

« EUROPE-INBO 2012 »

**10TH EUROPEAN CONFERENCE ON THE IMPLEMENTATION OF THE
WATER FRAMEWORK DIRECTIVE**

ISTANBUL - TURKEY, 17-19 OCTOBER 2012



**"Mathematical models for water resources management
in the Aral Sea Basin: review and prospects"**

Mikhail Kalinin

Remedies

Central Asia (CA) - 7th biggest area in the world.

Irrigated lands - 7,95 million ha.

CA has a big water and energy potential.

80 water reservoirs (capacity of 60 km³)

45 hydro-electric power plants (general capacity of 34.5 GW).

Capacity of every power station varies from 50 to 2700 mW.



Cotton is one of the major crops especially in Uzbekistan and Turkmenistan and it is because of water used for these such crops that the Aral sea is drying up.

Nurek HPP - capacity of 2700 mW (Vakhsh River, Tajikistan)

Toktogul HPP - capacity of 1200 mW (Naryn River, Kyrgyzstan)

Hydro-energy makes 27.3 % from average consumption of energy.

The most hydro-energy - in Tajikistan (about 98 %) and Kyrgyzstan (about 75 %), the least hydro-energy is developed in Turkmenistan (1 %).

Annual volume of surface runoff of Syr-Darya (36.625 km³) and Amu-Darya (79.396 km³).

Ground water resources in the region are estimated as 31.17 km³



Basic problems

Until 1960, the Aral Sea - 67 000 km².

It was the 4th internal water object in the world.


Now the Aral Sea doesn't exist as a single water body. Its area has decreased in 7 times and water volume has grown down in 13 times.



July - September, 1989



October 5, 2008



2011

Different organizations developed various models in the region during various time. Objects of modeling included rivers, water reservoirs, lakes, ground waters, irrigation areas and water economic complex of the whole river basin. There were also developed models of glaciers, relief and forests and using water resources.


There are about 50 models in Central Asia.

General characteristics of types of models revealed in the countries of Central Asia

Country	Objects of models	Quantity of models
Kazakhstan	Ground waters in the context of connection with surface waters + Surface water and economic aspects	8 + 1
Kyrgyzstan	Hydroelectric potential	1
	Mountain lakes	1
	Surface waters: Issyk- Kul Lake	1
	Surface waters: irrigation	1
	Glaciers and river flow	1
	Mountain glaciers	3
	Snow covering	1
	Ground waters	3
	Relief	1
	Moisture circulation and soil moistening	2
	Forests	1
Tajikistan	Surface waters. River flow.	1
	Surface and ground waters, hydroelectric power plants	complex
Uzbekistan	Surface and ground waters, hydroelectric power plants	1
	Hydroenergetics	2
	Surface waters: the Aral Sea aquatory	2
	Surface waters: canals, irrigation	2
	Surface waters: optimization of water reservoirs work	1
	Surface waters: hydrological forecasts	3
	Water operational balance of the river basin	1
	Surface waters and economic aspects	1
	Surface and ground waters	6
	Ground waters	1


Models reviewed

1. NIBADSS	2. ASB MM	3. EPIC	4. TWEP-NAPSI	5. Syr-Darya Real-Time RBM	6. MMTB	7. ASBOM	8. Aral-DIF	9. Economic Allocation	10. Public Domain
(Kazakhstan w/UNDP) Nura Ishim River Basin Management Project Integrated Water Resources Planning Decision Support System	(EC-IFAS w/ UNDP-GEF) Aral Sea Basin Management Model	USAID w/University of Texas(IFPRI) USAID Environmental Policies and Institutions for Central Asia Optimization Model	(Kyrgyz Republic w/USAID) Transboundary Water and Energy Project-North America Syncrophasor Initiative	(Kazakhstan w/Denmark) Water Management and Simulation System (WMIS)for Syr Darya	(Tajikistan) Mathematical Modeling on transboundary basins	(SIC-ICWC w/ UNDP/GEF) Aral Sea Basin Optimization Model – (the Haskoning Model)	(World Bank w/University of Washington) Dynamic Information Framework – Variable Infiltration Capacity - Aral Sea Basin Earth Systems Model	(USAID w/ EC-IFAS) Economic Valuation of Water	USA Variety of public domain models prepared by US Army Corps of Engineers US Geologic Survey Private Sector



Examples of models in Kazakhstan





Territory of the East Sub-Aral area



Водный баланс Аральского моря, км³/год
(по материалам КазНИГМИ, КазНИИМОСК, [212])
Aral sea water balance, km³/year
(as of the materials of KazNIGMI, KazNIIMOSK, [212])

Период, годы Period, years	Приход Advert		Потери воды на испарение Water losses for evaporation	Баланс Balance
	Сток Discharge	Осадки Precipitations		
1911 - 1960	56,0	9,1	66,1	-1,0
1961 - 1970	43,3	8,0	65,4	-14,1
1971 - 1980	16,7	6,3	55,2	-32,2
1981 - 1990	3,9	6,2	43,7	-33,6
1991 - 1994	21,0	4,6	33,6	-8,0
1995 - 2002 *	4,81**	3,5	28,6	-20,29


*оценки ИГТ МОН РК, **приток в Малое море.
* estimation of IGG MON RK, **advert into Small sea.




Results of modeling of ground water resources of the East Sub-Aral area

(over an area more than 450,000 km²)

BALANCE COMPONENTS OF GROUND WATER FLOW




Tasks solved with the help of a model



Left part of the diagrams – expense items, right part – receipt items, m³/sec
Numbers in the diagrams – amounts of expense and receipt items, m³/sec.

Expense items



Receipt items



Model of the large internal-drainage South Sub-Balkhash Depression


Hydrographic network of the South Sub-Balkhash area is presented with the rivers Ili, Karatal, Aksu and Lepsy with their numerous tributaries.

The Ili River gives about 80% of the whole water discharge of Balkhash Lake, including 70% of water discharge forming in the territory of China where intensive development of agriculture invites danger of further reduction of water discharge to Balkhash Lake.




Modelling of ground water filtration and mass transfer of contaminants near the city of Ust Kamenogorsk

Estimation of alternative variants of quality management of the polluted underground waters on the basis of updating of numerical model of ground waters filtration and mass transfer executed by the Wismut (2005) on the basis of results of field and laboratory researches carried out by the SNC-Lavalin International Inc in 2009.




Modelling of ground water filtration and mass transfer of contaminants near the city of Ust Kamenogorsk


Model plumes of cadmium and selenium are moving towards the Oktyabrsky water intake and the Irtysh River and these plumes will reach them less than in 70 years



Examples of models in the Kyrgyz Republic: Model of Forests



Model of the Issyk Kul Lake basin



Mathematic “IRRIGATION” simulation system

Interface of the “Irrigation” model by A I Golovanov

Введение

Программа "ПОЛИВ", автор А.И.Голованов

Программа позволяет:

- 1) рассчитать режим поливов для одного года или совокупности лет;
- 2) оценить заданный режим полива, водообмен и продуктивность;
- 3) оценить водный режим и продуктивность в естественных условиях;
- 4) подобрать параметры дренажа при осушении.

Внимание! Предварительно создайте свою директорию, например C:\Zarov. В нее поместите файл с осадками (с указанием года, количества дней с осадками в году, суточного количества осадков и дат выпадения), присвойте ему рабочее имя, например: OsZarov.txt. Поместите также файл со среднедневной температурой и влажностью воздуха в%, присвойте ему имя, например: TvZarov.txt. Образцы этих файлов даны в приложении к программе.

Файл с другой исходной информацией формируется автоматически в процессе ее ввода, имя ему надо присвоить заранее, например: C:\Zarov\InZar_01.txt. При многовариантных расчетах можно загрузить файл предыдущего варианта, например: C:\Zarov\InZar_00.txt. В файле C:\Zarov\InZar_00.txt есть пример - подсказка с информацией, с чего можно начинать ее ввод.

Исходную информацию загрузить из: C:\VESU\L_N\InVod_1N.txt

Сохранить после изменения в: C:\VESU\L_N\InVod_1N.txt

Введите имя файла с осадками: C:\Zarov\OsZarov.txt

Введите имя файла с температурой и влажностью воздуха: C:\Zarov\TvZarov.txt

Заголовок задачи: Водораздел Глубокие грунтовые воды

Имя файла для результатов: C:\Zarov\Zar_00.txt

ЖЕЛАЮ УСПЕХА! ПОЕХАЛИ!

Выбор вариантов

Варианты расчета

- Расчет режима полива
- Оценка режима полива, водообмена и урожайности
- Естественный режим, осушение

Вывод результатов

- Через декаду
- После каждого полива
- В конце каждого года

Учет способа полива

- Дождевание
- Какой нормой?(мм) 50
- Поверхностный полив

Учет прогноза осадков при назначении поливов

Учитывать прогноз выпадения осадков при назначении очередного полива? Да!

При оценке режима поливов задать число поливов, сроки поливов в сутках, считая от начала теплого периода, и поливные нормы в мм.

Число поливов: 3

Сроки поливов: \$036\$044\$056\$078\$099\$109\$1123\$134\$156\$166\$1

Поливные нормы, мм: \$51\$42\$53\$53\$55\$66\$58\$63\$53\$57\$43\$00\$0

\$- это не доллар, а разделитель для формата ввода. Понял, да?

Готово? ДАЛЕЕ > Назад!

Map of the Issyk-Kul region showing the lake and surrounding settlements. The map includes labels for various locations: Курменты, Тюп, Каракол, Шалба, Деген Оуу, Кызыл Суу, Дархан, Борско, Тамга, Тосор, Каджи-Сай, Боконбаева, Оттук, Кызыл-Тут, Ак-Сай, Баалыкчы, Тору Айыл, Чырпычты, Тамчы, Чон-Тал, Сары-Ой, Чолпон-Ата, Кара-Ой, Бостери, Корумды, Аман-Азо, Булан-Соготту, Кутурка, Каракол, Тюп.

Оз. Иссык-Куль

DataLife Engine
DLE-NEWS.RU

Климат

Введите число лет с климатическими данными, начало теплого периода и его продолжительность в сутках (считайте во всех месяцах по 30 суток!)

Лет: 30 Теплый период с: 11.03 Его длина: 250 сут

Ввод осадков, подает их контрольной суммой, расчет суммарного испарения по Иванову E=0.018K*bioI(+25)^21-a, оценка дефицита увлажнения-испарение: осадки

Коэффициент редуциции осадков для учета поверхностного стока: 1,0000

Коэффициент редуциции температуры воздуха для учета экспозиции склона: 1,0000

Введите среднее годовое увлажнение весной мм: 200

Контрольная сумма осадков за все годы(лин(проверьте!)): 11398

К сведению: характерные годы по влагообеспеченности

Год	Хобеспеч	Осадки	Испарен	Дефицит
1969	25	364	1214	849
1971	25	405	1254	849
1966	50	404	1220	816
1983	75	363	1078	715
1988	90	485	1150	665

Выберите вариант расчета

- Рассчитать одну вегетацию?
- Рассчитать несколько лет подряд?


Сколько лет?: 1 Повторить эти годы для стабилизации процесса? Да! (Советую!)

Выберите расчетный год по % обеспеченности дефицита или любой другой год из имеющихся в диапазоне:

Выбран год: 1960 Его обеспеченность, %: 1989

Год выбран? ДАЛЕЕ > Назад!

Model of hydroelectric potential assessment




Results of the Comparative Analysis

Model / descriptor	1. NIBA-DSS	2. ASB MM	3. EPIC	4. TWEP-NAPSI	5. Syr-Dary Real-Time RBM	6. MMTB	7. ASBOM	8. Aral-DIF	9. Economic Allocation	10. Public Domain
<i>ectors red; essing ite change</i>	No water quality or climate change. But upgradable	Agriculture, irrigation, drainage, hydropower, domestic water supply. Limited flood simulation.	Only flows & salinity. Some irrigation, reservoirs, and hydropower. No ecology or climate change	Hydropower and irrigation reservoir rules. No demands.	Hydropower demand, irrigation demand, conjunctive use, reservoir operations; Real-time climate change. No water quality	Strong hydropower. Rigid subsector demands or climate change.	Agriculture, irrigation, drainage, hydropower, domestic water supply. Limited flood simulation. But upgradable	Limited to flood routing and basin water balance. No irrigation, water quality, hydropower. But upgradable	Balancing irrigation, hydropower, environment flows , domestic and industrial uses. Limited/no hydrologic/ spatial modeling or multiyear reservoir operation.	Ecosystems & hydrology. No hydropower or irrigation.
<i>poral ution ning on)</i>	Monthly	Monthly	From day/hour to year/decade	Short-term. Time travel limited	Real-time management.	Daily; But time travel limited	Daily (hourly doable)	Daily (hourly doable)	Monthly	Likely long term
<i>al coverage; bility</i>	Only Nura Ishim, Balkhash Lake, Alakol Basin and tributaries	Both rivers (Aral Sea Basin)	Both rivers	Syr-Darya reservoirs only. No Basin nor national boundaries	Only Syr Darya Basin; scalable (Amu Darya under development)	Aral Sea Basin with more focus on Syr-Darya (& more basin than national)	Both rivers (Aral Sea Basin); scalable	Both rivers (Aral Sea Basin); scalable	Both rivers; scalable	Needs major work to cover CA both basins
<i>nization or lation; and ain goal.</i>	Optimization. Economic allocation of water amongst municipal, industry, irrigation, environment.	Optimization; Economic inter-sector water allocation. More educational.	Optimization. Minimizes salinity and water deficits.	Simulation. Reservoir operating rules for reliable irrigation and hydropower.	Simulation Short-term only. Long-term needs added module. Flood management and allocation.	Simulation & cross-nation optimization. Hydropower and related reservoir operation.	Optimization (after several simulations). Economic inter-sector water allocation.	Simulation. Flood management and allocation.	Optimization. Maximizes return on investments per country or per sub-basin zone	Usually simulations
<i>of data ss (including alibration)</i>	Data needed for calibration and validation	Relatively yes. Based on CAREWIB database	Unclear database	Relatively yes. Main source is National Hydromet Services.	Remotely-sensed. But Radar altimetry data need agreement with European Space Agency (not cost free).	Data collection needed	Relatively yes. But data needed for calibration and validation	Relatively Yes. Mostly remotely-sensed.	Relatively Yes. (needs mostly Meta data)	Data collection needed
<i>ssibility at nal and nal levels</i>	Based in Kazakhstan (SCWR). Relatively accessible	SIC ICWC	Relatively accessible	USAID owned	Danish Technical University. Not based in CA. But can be procured at	Academy of Sciences of Tajikistan	SIC ICWC; potentially accessible	Accessible	EC-IFAC owned. But soon will make it public domain	Accessible

Authors: Daryl Fields , Ahmed Shawky, Martha Jarosewich-Holder. Hiromi Yamagochi, The World Bank

Modeling Basin Planning (e.g. Kabul River Basin in Afghanistan)

Kabul River Basin System Schematic




Planning requires a systems approach in the basin rather than a project-by-project approach

Author: Nagaraja Rao Harshadeep, The World Bank

2 regional models of the Syr-Darya and Amu-Darya Rivers basins stored in the SIC ICWC (model **ASBmm**) and in IC IFAS (model **BEAM**) can be the most useful to create a model of decision-making for the territory of the Aral Sea basin.

ASBmm software includes the following:

1. **Water Resources Distribution Model (WAM)**
2. **Planning Zone Model (PZM)**
3. **Social and Economic Model (SEM)**
4. **Package of the water ecosystems models**
5. **Database**
6. **Control program**
7. **User web-interface**



New regional model (IFAS)



- **BEAM** - Basin Economic Allocation Model (2012)

DHI and COWI with the Global Water Partnership CACENA develop an economic model for water use in the Aral Sea Basin on behalf of the IFAS.

The project is funded by USAID.

- The model is developed on the basis of a comprehensive analysis of the economic value of the integrated use and conservation of water resources. It shall serve as a decision support tool to policy makers in the region.
- It will assess the economic value of various allocations of water by Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Uzbekistan and sectors (agriculture, energy, industry, domestic and nature).

Conclusions

The World Bank in the future - a single model for the whole region.

It should include initial data of every particular country in the Aral Sea basin model.

There should be confidence to the software product as well.

The results of modeling can be considered as an authentic basis for making every possible decision only subject to these conditions.

A coherent idea of benefits and losses of each state which can be received as a result of creation of new model of the Aral Sea basin is one of really possible ways of meeting of the minds and development of cooperation between the states concerning joint management of water and energy resources of the basin.

Thank you for attention

kamu@tut.by

